



# SC-11

ORDERCODE D1511



**SHOWELECTRONICS FOR PROFESSIONALS**

## SC-11 STEREO HEADPHONE AMP



The SC-11 is for expanding or generating headphone channels. It has a 1/4" stereo input, 4 volume controls, 4: 1/4" stereo output jacks and is powered by an AC adapter (included). The SC-11 has a 20Hz - 20KHz response, small size, and is very easy to use.

### INTRODUCTION

The SC-11 will power four pairs of stereo headphones for high quality audio monitoring. The unit is intended for sound reinforcement, studio, choir, and the applications where a smaller size is desirable.

### DESCRIPTION

**STEREO INPUT :** Stereo 1/4" TRS jack for connection to a stereo line-level source. This jack may also be connected to a stereo headphone output.

**DC PWR :** For connection to the power supply.

**PWR LED :** Indicating power is applied to the SC-11.

**VOL1 – 4 :** Controls the level of the indicated channel output.

**CAUTION :** Plugging a mono 1/4" plug into the Headphone Outputs may cause permanent damage to the unit. Use ONLY TRS stereo plugs in these jacks.

### SPECIFICATIONS

Input Impedance :	100 K $\Omega$ ( unbalanced)
Max Input Level :	+14 dBV
Input Connectors :	Stereo 1/4" TRS phone
Outputs :	(4) 1/4" Stereo 1/4"
Max Gain :	20 dB/Channel
S/N Ratio :	> 90dB
THD :	< 0.008%
IMD(SMPTE)	< 0.008%
Size:	113 x 73 x 40 mm (LxWxH)
Weight:	336 g



© 2003 DapAudio.